	Hits	Search Text	DBs
1	3543	(dynamic$5 or change$1 or changing or run$1time or (run adj time)) near3 (authorization or (secur$3 near2 polic$3) or privilege$1 or (access near right$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	493	(dynamic$5 or run$1time or (run adj time)) near3 (authorization or (secur$3 near2 polic$3) or privilege$1 or (access near right$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	240	S167 and (@ad<"20000628" or @rlad<"20000628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	8	S168 and ((temporary or transient or provisional or ephemeral or changeble) near5 (membership or right or privilege or group or access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	218	(temporary or transient or provisional or ephemeral or changeble) near3 (authorization or (secur$3 near2 polic$3) or privilege$1 or (access near right$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	95	S175 and (@ad<"20000628" or @rlad<"20000628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	14	(garg-praerit.in. or reichel-robert.in. or ward-richard.in. or dubhashi-kedarnath or hamblin-jeffrey.in. or hopkins-anne.in.) and authoriz$5	US-PGPUB; USPAT

	Hits	Search Text	DBs
8	29	("4962449" | "5138712" | "5276901" | "5321841" | "5390247" | "5412717" | "5506961" | "5542046" | "5638448" | "5649099" | "5675782" | "5678041" | "5680461" | "5682478" | "5745676" | "5757916" | "5761669" | "5812784" | "5826029" | "5845067" | "5922073" | "5925109" | "5940591" | "5941947" | "5949882" | "5983270" | "5983350" | "6081807" | "6105132").PN.	US-PGPUB; USPAT; USOCR
9	13	("5922073").URPN.	USPAT
10	4613	713/182-183,185,200;709/225,229;707/9.ccls. and (@ad<"20000628" or @rlad<"20000628")	US-PGPUB; USPAT
11	88	S184 and ((dynamic$5) near5 (authorization or privilege$1 or (access near (right$1 or control))))	US-PGPUB; USPAT
12	172	(workflow or task$1based) with (access near2 (rights or control))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	39	S187 and (@ad<"20000628" or @rlad<"20000628")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	162	(access near2 control near2 (entr$3 or list$1)) near5 (exten$3 or modif$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	22	(access near2 control near2 entr$3) near5 (exten$4 or modif$3 or special)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	229	(access near2 (control or right$1)) with behavior	US-PGPUB; USPAT

	Hits	Search Text	DBs
17	7	(access near2 (control or right$1)) near5 (behavior near3 (user or requestor or client))	US-PGPUB; USPAT
18	8	S191 and (intru$4 near3 detect$3)	US-PGPUB; USPAT
19	22	access near2 control near2 entr$3 near5 type$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	8439	713/182-183,185,200;709/225,229;707/9.ccls.	US-PGPUB; USPAT
21	468	S195 and ("access control" near2 (list or entr$3))	US-PGPUB; USPAT
22	41	S196 and ((time or location or device) near5 restrict$3)	US-PGPUB; USPAT
23	21	S197 and (@ad<"20000628" or @rlad<"20000628")	US-PGPUB; USPAT
24	65	(privilege or credential or (access adj right)) with (dynamic$4 near3 (chang$3 or alter$3 or adjust$3 or add$3 or remov$3 or calculat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	30	S199 and (@ad<"20000628" or @rlad<"20000628")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	8	S200 and (("access control" near (list or entr$3)) or acl or ace)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB